

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### 4715 Power rust dissolver Spray 250 ml

Revision date: 12.05.2020

Product code: 91616

Page 1 of 9

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

4715 Power rust dissolver Spray 250 ml

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

###### Use of the substance/mixture

Lubricating agent

##### 1.3. Details of the supplier of the safety data sheet

Company name:	KERONA GmbH	
Street:	Zeilbaumweg 15	
Place:	D-74613 Öhringen	
Telephone:	+49 7941-9205 4080	
e-mail:	mail@kerona.de	
Contact person:	Dr. Hans Goetz	Telephone: +49 170-8548 710
e-mail:	hans.goetz@kerona.de	
Internet:	www.kerona.de	

1.4. Emergency telephone number: Vergiftungs-Informationen-Zentrale Freiburg  
+49 761-19 240

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

###### Regulation (EC) No. 1272/2008

Hazard categories:  
Aerosol: Aerosol 1  
Hazard Statements:  
Extremely flammable aerosol.  
Pressurised container: May burst if heated.

##### 2.2. Label elements

###### Regulation (EC) No. 1272/2008

Signal word: Danger

Pictograms:



###### Hazard statements

H222 Extremely flammable aerosol.  
H229 Pressurised container: May burst if heated.

###### Precautionary statements

P102 Keep out of reach of children.  
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P211 Do not spray on an open flame or other ignition source.  
P251 Do not pierce or burn, even after use.  
P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

###### Special labelling of certain mixtures

EUH208 Contains Cinnamaldehyde. May produce an allergic reaction.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### 4715 Power rust dissolver Spray 250 ml

Revision date: 12.05.2020

Product code: 91616

Page 2 of 9

#### 2.3. Other hazards

No data available

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

##### Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
119-36-8	Methyl salicylate			0.1 - < 5 %
	204-317-7			
	Acute Tox. 4; H302			
123-54-6	pentane-2,4-dione			0.1 - < 5 %
	204-634-0	606-029-00-0		
	Flam. Liq. 3, Acute Tox. 4; H226 H302			
107-98-2	1-methoxy-2-propanol			0.1 - < 5 %
	203-539-1	603-064-00-3		
	Flam. Liq. 3, STOT SE 3; H226 H336			
104-55-2	Cinnamaldehyde			0.1 - < 5 %
	203-213-9			
	Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2, Skin Sens. 1; H312 H315 H319 H317			

Full text of H and EUH statements: see section 16.

#### Labelling for contents according to Regulation (EC) No 648/2004

perfumes (Cinnamal).

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

##### General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). First aider: Pay attention to self-protection! Move victim out of danger zone. Never give anything by mouth to an unconscious person or a person with cramps. Remove contaminated, saturated clothing immediately.

##### After inhalation

Remove casualty to fresh air and keep warm and at rest. Consult a doctor immediately in the case of inhaling spray mist and show him packing or label. Put victim at rest, cover with a blanket and keep warm. In case of irregular breathing or respiratory arrest provide artificial respiration.

##### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. In case of skin irritation, consult a physician.

##### After contact with eyes

Protect uninjured eye. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

##### After ingestion

Seek medical advice immediately. Do NOT induce vomiting. Rinse mouth thoroughly with water. If unconscious place in recovery position and seek medical advice.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### 4715 Power rust dissolver Spray 250 ml

Revision date: 12.05.2020

Product code: 91616

Page 3 of 9

#### **4.2. Most important symptoms and effects, both acute and delayed**

No data available

#### **4.3. Indication of any immediate medical attention and special treatment needed**

No data available

### **SECTION 5: Firefighting measures**

#### **5.1. Extinguishing media**

##### **Suitable extinguishing media**

Carbon dioxide (CO<sub>2</sub>), Dry extinguishing powder,, alcohol resistant foam, Water spray.

##### **Unsuitable extinguishing media**

High power water jet.

#### **5.2. Special hazards arising from the substance or mixture**

In case of fire may be liberated: Carbon dioxide (CO<sub>2</sub>) Carbon monoxide Sulphur oxides

#### **5.3. Advice for firefighters**

In case of fire: Wear self-contained breathing apparatus. Wear personal protection equipment.

#### **Additional information**

In case of fire and/or explosion do not breathe fumes. Use water spray jet to protect personnel and to cool endangered containers. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Heating causes rise in pressure with risk of bursting.

### **SECTION 6: Accidental release measures**

#### **6.1. Personal precautions, protective equipment and emergency procedures**

Remove all sources of ignition.

#### **6.2. Environmental precautions**

Do not allow to enter into surface water or drains.

#### **6.3. Methods and material for containment and cleaning up**

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Collect in closed and suitable containers for disposal. Clear contaminated areas thoroughly.

### **SECTION 7: Handling and storage**

#### **7.1. Precautions for safe handling**

##### **Advice on safe handling**

Use only in well-ventilated areas. Keep away from sources of ignition - No smoking. Flammable vapours can accumulate in head space of closed systems. Caution! Transport usually takes place at temperatures above the flash point.

##### **Advice on protection against fire and explosion**

Take precautionary measures against static discharges. Vapours can form explosive mixtures with air.

#### **7.2. Conditions for safe storage, including any incompatibilities**

##### **Requirements for storage rooms and vessels**

Keep container tightly closed in a cool, well-ventilated place.

##### **Hints on joint storage**

Do not store together with: Material, oxygen-rich, oxidizing. Pyrophoric or self-heating substances.

##### **Further information on storage conditions**

No hazardous reaction when handled and stored according to provisions.

storage temperature: 5°C - 25°C Keep away from heat.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### 4715 Power rust dissolver Spray 250 ml

Revision date: 12.05.2020

Product code: 91616

Page 4 of 9

#### 7.3. Specific end use(s)

No data available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Exposure limits (EH40)

CAS No	Substance	ppm	mg/m <sup>3</sup>	fibres/ml	Category	Origin
107-98-2	1-Methoxypropan-2-ol	100	375		TWA (8 h)	WEL
		150	560		STEL (15 min)	WEL
106-97-8	Butane	600	1450		TWA (8 h)	WEL
		750	1810		STEL (15 min)	WEL
64-17-5	Ethanol	1000	1920		TWA (8 h)	WEL

#### Additional advice on limit values

SECTION 16: Other information

### 8.2. Exposure controls

#### Appropriate engineering controls

Provide adequate ventilation as well as local exhaust at critical locations.

#### Protective and hygiene measures

Do not breathe gas/vapour/aerosol. Avoid contact with skin, eyes and clothes. When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work.

#### Eye/face protection

Wear eye/face protection.

#### Hand protection

NBR (Nitrile rubber).

Thickness of the glove material >0,4 mm; >480 min

Neoprene

Thickness of the glove material >0,4 mm; >480 min

EN ISO 374

#### Skin protection

Wear suitable protective clothing.

#### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

#### Environmental exposure controls

Do not allow to enter into surface water or drains.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state:	Aerosol
Colour:	yellow
Odour:	characteristic
pH-Value (at 20 °C):	5,0-7,0

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### 4715 Power rust dissolver Spray 250 ml

Revision date: 12.05.2020

Product code: 91616

Page 5 of 9

#### Changes in the physical state

Initial boiling point and boiling range:	-42 °C
Flash point:	-104 °C
Lower explosion limits:	1,4 vol. %
Upper explosion limits:	15 vol. %
Ignition temperature:	340 °C
Density (at 24 °C):	0,75 g/cm <sup>3</sup>

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

No data available

#### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

#### 10.3. Possibility of hazardous reactions

The product is stable under storage at normal ambient temperatures.  
Heating causes rise in pressure with risk of bursting.

#### 10.4. Conditions to avoid

Keep away from heat. Flame

#### 10.5. Incompatible materials

Materials to avoid: Strong acid. Oxidizing agents. strong alkalis

#### 10.6. Hazardous decomposition products

Carbon dioxide (CO<sub>2</sub>). Carbon monoxide Sulphur oxides

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

##### Toxicokinetics, metabolism and distribution

No data available

##### Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
119-36-8	Methyl salicylate				
	oral	ATE 500 mg/kg			
123-54-6	pentane-2,4-dione				
	oral	ATE 500 mg/kg			
107-98-2	1-methoxy-2-propanol				
	oral	LD50 > 5000 mg/kg	Rat	IUCLID	
	dermal	LD50 11000 mg/kg	Rabbit		
104-55-2	Cinnamaldehyde				
	dermal	ATE 1100 mg/kg			

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### 4715 Power rust dissolver Spray 250 ml

Revision date: 12.05.2020

Product code: 91616

Page 6 of 9

**Irritation and corrosivity**

Based on available data, the classification criteria are not met.

**Sensitising effects**

Contains Cinnamaldehyde. May produce an allergic reaction.

**Carcinogenic/mutagenic/toxic effects for reproduction**

Based on available data, the classification criteria are not met.

**STOT-single exposure**

Based on available data, the classification criteria are not met.

**STOT-repeated exposure**

Based on available data, the classification criteria are not met.

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**Specific effects in experiment on an animal**

No data available

**Additional information on tests**

No data available

**Practical experience**
**Observations relevant to classification**

No data available

**Other observations**

No data available

**Further information**

No data available

## SECTION 12: Ecological information

**12.1. Toxicity**

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
123-54-6	pentane-2,4-dione					
	Acute fish toxicity	LC50 72 mg/l	96 h	Onchorhynchus mykiss		
	Acute crustacea toxicity	EC50 75 mg/l	48 h	Daphnia magna		
107-98-2	1-methoxy-2-propanol					
	Acute fish toxicity	LC50 4600 - 10000 mg/l	96 h	Leuciscus idus	IUCLID	
	Acute algae toxicity	ErC50 > 1000 mg/l	72 h	Selenastrum capricornutum		
	Acute crustacea toxicity	EC50 > 500 mg/l	48 h	Daphnia magna	IUCLID	

**12.2. Persistence and degradability**

No data available

**12.3. Bioaccumulative potential**

No data available

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### 4715 Power rust dissolver Spray 250 ml

Revision date: 12.05.2020

Product code: 91616

Page 7 of 9

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
123-54-6	pentane-2,4-dione	0,4
107-98-2	1-methoxy-2-propanol	-0,437

#### 12.4. Mobility in soil

No data available

#### 12.5. Results of PBT and vPvB assessment

No data available

#### 12.6. Other adverse effects

Do not allow to enter into surface water or drains.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

##### Disposal recommendations

Remove according to the regulations.

##### List of Wastes Code - residues/unused products

160504 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; gases in pressure containers (including halons) containing hazardous substances; hazardous waste

##### List of Wastes Code - used product

160504 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; gases in pressure containers (including halons) containing hazardous substances; hazardous waste

##### List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

### SECTION 14: Transport information

#### Land transport (ADR/RID)

<b><u>14.1. UN number:</u></b>	UN 1950
<b><u>14.2. UN proper shipping name:</u></b>	AEROSOLS
<b><u>14.3. Transport hazard class(es):</u></b>	2
<b><u>14.4. Packing group:</u></b>	-
Hazard label:	2.1
Classification code:	5F
Special Provisions:	190 327 344 625
Limited quantity:	1 L
Excepted quantity:	E0
Transport category:	2
Tunnel restriction code:	D

#### Inland waterways transport (ADN)

<b><u>14.1. UN number:</u></b>	UN 1950
<b><u>14.2. UN proper shipping name:</u></b>	AEROSOLS

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**4715 Power rust dissolver Spray 250 ml**

Revision date: 12.05.2020

Product code: 91616

Page 8 of 9

<b>14.3. Transport hazard class(es):</b>	2
<b>14.4. Packing group:</b>	-
Hazard label:	2.1
Classification code:	5F
Special Provisions:	190 327 344 625
Limited quantity:	1 L
Excepted quantity:	E0

**Marine transport (IMDG)**

<b>14.1. UN number:</b>	UN 1950
<b>14.2. UN proper shipping name:</b>	AEROSOLS
<b>14.3. Transport hazard class(es):</b>	2.1
<b>14.4. Packing group:</b>	-
Hazard label:	2.1
Special Provisions:	63, 190, 277, 327, 344, 959
Limited quantity:	1000 mL
Excepted quantity:	E0
EmS:	F-D, S-U

**Air transport (ICAO-TI/IATA-DGR)**

<b>14.1. UN number:</b>	UN 1950
<b>14.2. UN proper shipping name:</b>	AEROSOLS
<b>14.3. Transport hazard class(es):</b>	2.1
<b>14.4. Packing group:</b>	-
Hazard label:	2.1
Special Provisions:	A145 A167 A802
Limited quantity Passenger:	30 kg G
Passenger LQ:	Y203
Excepted quantity:	E0
IATA-packing instructions - Passenger:	203
IATA-max. quantity - Passenger:	75 kg
IATA-packing instructions - Cargo:	203
IATA-max. quantity - Cargo:	150 kg

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**Restrictions on use (REACH, annex XVII):  
Entry 29: butane

2010/75/EU (VOC): 72,128 % (540,961 g/l)

**National regulatory information**

Water hazard class (D): 1 - slightly hazardous to water

**15.2. Chemical safety assessment**

For this substance a chemical safety assessment has not been carried out.

**SECTION 16: Other information**



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### 4715 Power rust dissolver Spray 250 ml

Revision date: 12.05.2020

Product code: 91616

Page 9 of 9

#### Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008

##### [CLP]

Classification	Classification procedure
Aerosol 1; H222-H229	On basis of test data

#### Relevant H and EUH statements (number and full text)

H222	Extremely flammable aerosol.
H226	Flammable liquid and vapour.
H229	Pressurised container: May burst if heated.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
EUH208	Contains Cinnamaldehyde. May produce an allergic reaction.

#### Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

#### Identified uses

No	Short title	LCS	SU	PC	PROC	ERC	AC	TF	Specification
1	Lubricating agent	PW, C	-	24	11	-	-	7, 80	

LCS: Life cycle stages

SU: Sectors of use

PC: Product categories

PROC: Process categories

ERC: Environmental release categories

AC: Article categories

TF: Technical functions

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*